

Message

From: Matthew E. Cohn [mcohn@greensfelder.com]
Sent: 4/23/2018 6:14:14 PM
To: Stillman, Sarah [Stillman.Sarah@epa.gov]
Subject: RE: USG Red Wing, MN

Sarah,

I left you a message last week regarding timing issues for a response to your letter and the modeling protocol. When you have an opportunity to call me, can we discuss? Thank you.

Regards,

Matthew E. Cohn
Greensfelder, Hemker & Gale, P.C.
200 West Madison | Suite 3300
Chicago, IL 60606
Direct - (312) 345-5003
Fax - (312) 419-1930
mcohn@greensfelder.com
www.greensfelder.com

From: Stillman, Sarah [mailto:Stillman.Sarah@epa.gov]
Sent: Tuesday, April 03, 2018 4:12 PM
To: Matthew E. Cohn
Cc: Schaufelberger, Daniel; Robinson, Randall
Subject: USG Red Wing, MN

Good afternoon Matt,

Please find attached EPA's letter regarding the use of the CTDMPlus model at USG's Red Wing, MN plant.

Let me know if you have any questions or if you would like to set up a call to discuss further.

Best,

Sarah J. Stillman
Office of Regional Counsel
U.S. EPA Region 5
(312) 886-3611
stillman.sarah@epa.gov

CONFIDENTIAL: This email and any attachments may contain information that is privileged, confidential, or otherwise exempt or prohibited from disclosure under applicable law, and they are for the exclusive and confidential use of the intended recipient. If you are not the intended recipient, do not read, print, distribute, or take action in reliance upon this email: notify the sender immediately by return email and promptly delete or otherwise destroy the email and any attachments. U.S. EPA does not waive any privilege by transmission of this email.